ELSEVIER

Solid State Ionics 74 (1994) 291–295

SOLID STATE IONICS

Author index to volume 74

Abe, T., see M. Mori 74 (1994) 157
Abeles, B., see H. Deng 74 (1994) 75
Ache, H.J., see E. Bychkov 74 (1994) 165
Agrawal, R.C., K. Kathal and R.K. Gupta, Estimation of energies of Ag^+ ion formation and migration using transient ionic current (TIC) technique 74 (1994) 137
Allançon, C., A. Gonthier-Vassal, J.M. Bassat, J.P. Loup and P. Odier, Influence of oxygen on structural transitions in $Pr_2NiO_{4+\delta}$ 74 (1994) 239
Antonucci, V., see G. Chiodelli 74 (1994) 37
Ashrit, P.V., see S. Badilescu 74 (1994) 189
Avignant, D., see V. Gaumet 74 (1994) 29

Bader, G., see S. Badilescu 74 (1994) 189
Badilescu, S., Y. Djaoued, P.V. Ashrit, F.E. Girouard, G. Bader and V.-V. Truong, Metal insertion from solid substrates in sol–gel derived vanadium pentoxide thin films 74 (1994) 189
Baranov, A.I., see B.V. Merinov 74 (1994) 53
Barcza, L., see T. Braun 74 (1994) 47
Bassat, J.M., see C. Allançon 74 (1994) 239
Bensch, W., J. Koy, T. Braun and P. Hug, Chemical reactivity of $K_xTi_6Se_8$ and the crystal structures of $(H_2O)_{1.5}Ti_6Se_8$ and Ti_3Se_4-channel compounds with the hexagonal Nb_3S_4 structure 74 (1994) 141
Bobe, J.M., see N.F. Uvarov 74 (1994) 195
Bokhonov, B.B., see N.F. Uvarov 74 (1994) 15
Bonsdorf, G., see O. Kalogirou 74 (1994) 205
Boukamp, B.A. and J.R. Macdonald, Alternatives to Kronig–Kramers transformation and testing, and estimation of distributions 74 (1994) 85
Braun, T., Á. Buvári-Barcza, L. Barcza, I. Konkoly-Thege, M. Fodor and B. Migali, Mechanochemistry: a novel approach to the synthesis of fullerene compounds. Water soluble buckminsterfullerene – γ-cyclodextrin inclusion complexes via a solid–solid reaction 74 (1994) 47
Braun, T., see W. Bensch 74 (1994) 141
Bredikhin, S., N. Kovaleva, T. Hattori and M. Ishigame, Photoinduced phenomena in $RbAg_4I_5$ superionic crystals 74 (1994) 149
Bruns, M., see E. Bychkov 74 (1994) 165
Buvári-Barcza, Á., see T. Braun 74 (1994) 47
Bychkov, E., M. Bruns, U. Geckle, W. Hoffmann, R. Schlesinger and H.J. Ache, Fe-doped sodium aluminosilicate thin films: conductivity, microstructural organization and sensor properties 74 (1994) 165

Chávez, F., see I. Rommerskirchen 74 (1994) 179

Chen, L., see R. Xue 74 (1994) 133
Chiodelli, G., A. Magistris, G. Spinolo, C. Tomasi, V. Antonucci and N. Giordano, Electrical properties in the Bi-rich part of the Bi, Mo/O system 74 (1994) 37
Clearfield, A., see D.M. Poojary 74 (1994) 279

Dahn, J.R., see A.M. Wilson 74 (1994) 249
Deng, H., M. Zhou and B. Abeles, Diffusion-reaction in mixed ionic–electronic solid oxide membranes with porous electrodes 74 (1994) 75
Djaoued, Y., see S. Badilescu 74 (1994) 189
Dupuis, J., see V. Gaumet 74 (1994) 29

Eguchi, M., T. Yokoyama, T. Miura and T. Kishi, Lithiation characteristics of $Cu_{11}V_6O_{26}$ 74 (1994) 269

Farrington, G.C., see J. Xu 74 (1994) 125
Fodor, M., see T. Braun 74 (1994) 47
Fritz, M., see H. Näfe 74 (1994) 275
Fuller, E.W., see A.M. Wilson 74 (1994) 249

Gaumet, V., C. Latouche, D. Avignant and J. Dupuis, Enhancement of cationic conductivity in some heptafluorozirconates due to a paddle-wheel mechanism 74 (1994) 29
Geckle, U., see E. Bychkov 74 (1994) 165
Giordano, N., see G. Chiodelli 74 (1994) 37
Girouard, F.E., see S. Badilescu 74 (1994) 189
Gonthier-Vassal, A., see C. Allançon 74 (1994) 239
Gunsser, W., see O. Kalogirou 74 (1994) 205
Günter, J.R., see X.-L. Xu 74 (1994) 1
Gupta, R.K., see R.C. Agrawal 74 (1994) 137

Hairetdinov, E.F., see N.F. Uvarov 74 (1994) 15
Hairetdinov, E.F., see N.F. Uvarov 74 (1994) 195
Hattori, T., see S. Bredikhin 74 (1994) 149
Herrero, P., see J.M. Réau 74 (1994) 65
Hibino, T. and H. Iwahara, Amperometric sensor for measurement of D_2O concentration in mixture of H_2O and D_2O using high temperature protonic conductor 74 (1994) 285
Hirashima, Y., see T. Moriga 74 (1994) 211
Hoffmann, W., see E. Bychkov 74 (1994) 165
Holzinger, M., see J. Maier 74 (1994) 5
Honjo, H., see M. Tatsumisago 74 (1994) 105
Huang, H., see R. Xue 74 (1994) 133
Huang, X., see R. Xue 74 (1994) 133
Hug, P., see W. Bensch 74 (1994) 141

Ishigame, M., see S. Bredikhin 74 (1994) 149
Ishii, T., see K. Takahashi 74 (1994) 11
Isupov, V.P., see N.F. Uvarov 74 (1994) 15
Itoh, H., see M. Mori 74 (1994) 157
Iwahara, H., see T. Hibino 74 (1994) 285

Jaegermann, W., see A. Schellenberger 74 (1994) 255
Jaipal Reddy, M., see S. Sreepathi Rao 74 (1994) 225
Janke, D., see I. Rommerskirchen 74 (1994) 179

Kalogirou, O., G. Bonsdorf, G. Stoikos, W. Gunsser and H. Papadimitraki-Chlichlia, Thermal decomposition process of polycrystalline Cd-stabilized mono- and divalent-cation β″- and β-ferrites 74 (1994) 205
Kanamaru, F., see T. Moriga 74 (1994) 211
Kathal, K., see R.C. Agrawal 74 (1994) 137
Kawahara, T., see M. Mori 74 (1994) 157
Kikkawa, S., see T. Moriga 74 (1994) 211
Kishi, T., see M. Eguchi 74 (1994) 269
Knight, K.S., Structural phase transitions in $BaCeO_3$ 74 (1994) 109
Kohno, T., see T. Moriga 74 (1994) 211
Konkoly-Thege, I., see T. Braun 74 (1994) 47
Kovaleva, N., see S. Bredikhin 74 (1994) 149
Koy, J., see W. Bensch 74 (1994) 141
Kuo, C.K. and P.S. Nicholson, Epitaxial overgrowth of α-Al_2O_3 on Na–β″- and –β-Al_2O_3 substrates 74 (1994) 61

Latouche, C., see V. Gaumet 74 (1994) 29
Lehmann, J., see A. Schellenberger 74 (1994) 255
Ling, S., see V.K. Pareek 74 (1994) 263
Lorenz, W.J., see H. Näfe 74 (1994) 275
Loup, J.P., see C. Allançon 74 (1994) 239

Macdonald, J.R., see B.A. Boukamp 74 (1994) 85
Magistris, A., see G. Chiodelli 74 (1994) 37
Maier, J., M. Holzinger and W. Sitte, Fast potentiometric CO_2 sensors with open reference electrodes 74 (1994) 5
Maier, J., see T.E. Warner 74 (1994) 119
Mannari, I., see K. Takahashi 74 (1994) 11
Merinov, B.V., A.I. Baranov, L.A. Shuvalov, J. Schneider and H. Schulz, Structural study of $Cs_5H_3(SO_4)_4 \cdot xH_2O$–alkali metal sulfate proton conductor 74 (1994) 53
Migali, B., see T. Braun 74 (1994) 47
Milius, W., see T.E. Warner 74 (1994) 119
Minami, T., see M. Tatsumisago 74 (1994) 105
Miura, T., see M. Eguchi 74 (1994) 269
Mori, M., T. Abe, H. Itoh, O. Yamamoto, Y. Takeda and T. Kawahara, Cubic-stabilized zirconia and alumina composites as electrolytes in planar type solid oxide fuel cells 74 (1994) 157
Moriga, T., O. Usaka, I. Nakabayashi, Y. Hirashima, T. Kohno, S. Kikkawa and F. Kanamaru, Reduction of the perovskite-type $LnNiO_3$ (Ln=Pr, Nd) to $Ln_3Ni_3O_7$ with monovalent nickel ions 74 (1994) 211
Mumford, J.D., see V.K. Pareek 74 (1994) 263

Näfe, H., M. Fritz and W.J. Lorenz, On the defect electron conduction parameter of Na–beta-alumina 74 (1994) 275

Nakabayashi, I., see T. Moriga 74 (1994) 211
Narasimha Reddy, K., see S. Sreepathi Rao 74 (1994) 225
Nicholson, P.S., see C.K. Kuo 74 (1994) 61

Odier, P., see C. Allançon 74 (1994) 239

Papadimitraki-Chlichlia, H., see O. Kalogirou 74 (1994) 205
Pareek, V.K., T.A. Ramanarayanan, S. Ling and J.D. Mumford, Electrical conductivity of high digenite ($Cu_{2-x}S$) at controlled sulfur activities 74 (1994) 263
Pettenkofer, C., see A. Schellenberger 74 (1994) 255
Poojary, D.M., A. Clearfield, S.E. Sigaryov and V.A. Timofeeva, Crystal structure of $Ca_{0.1667}Na_{3.6667}FeP_2O_8F$ 74 (1994) 279
Porat, O. and I. Riess, Defect chemistry of $Cu_{2-y}O$ at elevated temperatures. Part I: Non-stoichiometry, phase width and dominant point defects 74 (1994) 229
Poulain, M., see N.F. Uvarov 74 (1994) 195

Ramanarayanan, T.A., see V.K. Pareek 74 (1994) 263
Réau, J.M., S. Rossignol, B. Tanguy, J.M. Rojo, P. Herrero, R.M. Rojas and J. Sanz, Conductivity relaxation parameters of some Ag^+ conducting tellurite glasses containing AgI or the $(AgI)_{0.75}(TlI)_{0.25}$ eutectic mixture 74 (1994) 65
Réau, J.M., see N.F. Uvarov 74 (1994) 195
Reimers, J.N., see A.M. Wilson 74 (1994) 249
Riess, I., see O. Porat 74 (1994) 229
Rojas, R.M., see J.M. Réau 74 (1994) 65
Rojo, J.M., see J.M. Réau 74 (1994) 65
Rommerskirchen, I., F. Chávez and D. Janke, Ionic conduction behaviour of mullite ($3Al_2O_3 \cdot 2SiO_2$) at 1400 to 1600°C 74 (1994) 179
Rossignol, S., see J.M. Réau 74 (1994) 65

Sakai, Y., see M. Tatsumisago 74 (1994) 105
Sanz, J., see J.M. Réau 74 (1994) 65
Schellenberger, A., J. Lehmann, C. Pettenkofer and W. Jaegermann, Electronic structure of in-situ (in UHV) prepared Li/InSe insertion compounds 74 (1994) 255
Schlesinger, R., see E. Bychkov 74 (1994) 165
Schneider, J., see B.V. Merinov 74 (1994) 53
Schulz, H., see B.V. Merinov 74 (1994) 53
Sénégas, J., see N.F. Uvarov 74 (1994) 195
Shuvalov, L.A., see B.V. Merinov 74 (1994) 53
Sigaryov, S.E., see D.M. Poojary 74 (1994) 279
Sitte, W., see J. Maier 74 (1994) 5
Spinolo, G., see G. Chiodelli 74 (1994) 37
Sreepathi Rao, S., M. Jaipal Reddy, K. Narasimha Reddy and U.V. Subba Rao, A new Na^+ ion conducting polymer electrolyte based on (PEO+$NaYF_4$) and its use as an electrochemical cell 74 (1994) 225
Stoikos, G., see O. Kalogirou 74 (1994) 205
Subba Rao, U.V., see S. Sreepathi Rao 74 (1994) 225

Takahashi, K., I. Mannari and T. Ishii, Three peaks on the specific heat in a FK-system: A computer simulation 74 (1994) 11
Takeda, Y., see M. Mori 74 (1994) 157
Talaie, A., New multidimensional electrochemical set up for characterisation of dynamic solid state polymeric materials 74 (1994) 219
Tanguy, B., see J.M. Réau 74 (1994) 65
Tatsumisago, M., H. Honjo, Y. Sakai and T. Minami, Proton-conducting silica-gel films doped with a variety of electrolytes 74 (1994) 105
Timofeeva, V.A., see D.M. Poojary 74 (1994) 279
Tomasi, C., see G. Chiodelli 74 (1994) 37
Truong, V.-V., see S. Badilescu 74 (1994) 189

Usaka, O., see T. Moriga 74 (1994) 211
Uvarov, N.F., B.B. Bokhonov, V.P. Isupov and E.F. Hairetdinov, Nanocomposite ionic conductors in the Li_2SO_4–Al_2O_3 system 74 (1994) 15
Uvarov, N.F., E.F. Hairetdinov, J.M. Réau, J.M. Bobe, J. Sénégas and M. Poulain, Determination of the influence of the NaF rate on the charge carriers parameters in some fluoride glasses containing the NaF alkali fluoride 74 (1994) 195

Warner, T.E., W. Milius and J. Maier, New copper phosphates with the NASICON or alluaudite-type structures as ionic or mixed conductors 74 (1994) 119
Wilson, A.M., J.N. Reimers, E.W. Fuller and J.R. Dahn, Lithium insertion in pyrolyzed siloxane polymers 74 (1994) 249

Xu, J. and G.C. Farrington, Microelectrode studies of the Li/Li^+ couple in low molecular weight liquid polyether electrolytes 74 (1994) 125
Xu, X.-L. and J.R. Günter, Cubic and hexagonal tin tungsten bronzes synthesized from peroxo-polytungstic acid 74 (1994) 1
Xue, R., H. Huang, X. Huang and L. Chen, Storage study of lithium battery with PEO–PC–$LiClO_4$ electrolyte 74 (1994) 133

Yamamoto, O., see M. Mori 74 (1994) 157
Yokoyama, T., see M. Eguchi 74 (1994) 269

Zhou, M., see H. Deng 74 (1994) 75

ELSEVIER

Solid State Ionics 74 (1994) 297–298

SOLID STATE IONICS

Subject Index to Volume 74

Alluaudite, 119
Almond–West formalism, 195
Anode, 249

β″-alumina, 205
β″-ferrite, 205
β-alumina–sodium, 275
Bronzes, 189

Calcium zirconium oxide, 285
Capacity, 133
Conduction mechanism, 263
Conductivity, 165
Copper phosphates, 119
Cubic zirconia, 157
Cuprous oxide, 229
Cyclic resistometry, 219

Deuterium sensor, 285
Digenite, 263

Electrical conductivity, 119, 263
Electrical properties, 239
Electrochemical cell, 225
Electronic conductivity, 179
Energy of formation, 137
Energy of migration, 137
ESR spectra, 269

Fluorophosphate, 279
Free energy, 255

Glass, 195

Hebb–Wagner technique, 275
Hole conductivity, 275
Holes, 263

Impedance, 133
Indium selenide, 255
In-situ, "real time", 219
Intercalation, 189, 249, 255
Ionic conductivity, 179
Ionic conductivity – fluorine, 195
Ionic conductivity – proton, 105, 285
Ionic conductivity – silver, 137
Ionic conductivity – sodium, 225, 279
Ionic mobility, 137
Iron phosphate, 279
IR spectra, 269
Isotope effects, 285

Keggin ion, 105
Kinetics, 125

Lithium battery, 133, 249
Lithium insertion, 269
Lithium reactivity, 125
Luminescence, 149

Magnetic susceptibility, 119, 211
Microstructure, 165
Mixed valency, 119
Mullite ($3Al_2O_3.2SiO_2$), 179
Multidimensional electrochemical set up, 219

NASICON, 119
Neodymium nickel oxide, 211
Neutron diffraction, 109
Nickel microelectrode, 125
Nickel oxide, 211
Nonstoichiometry, 229, 239

Open-circuit potential, 269
Oxide ion conductor, 157
Oxygen excess, 239

PEGM, 125
PEO–PC–$LiClO_4$ electrolyte, 133
Perovskite, 211
Phase transition, 109
Phase width, 229
Point defects, 229, 263
Polymer, 219
Polymer electrolyte, 225

Quartz crystal microbalance, 219

0167-2738/95/$09.50 © 1995 Elsevier Science B.V. All rights reserved
SSDI 0167-2738

Raman scattering, 149
Reactivity, 141
Redox reaction, 141
Rubidium silver iodide, 149

Sensor, 165, 285
Silica-gel, 105
Siloxane, 249
Sodium fluoride, 195
Sol–gel, 189
Solid electrolyte, 179
Solid oxide fuel cell (SOFC), 157
Storage, 133
Structural transitions, 239
Sulfur activity, 263
SXPS, 255

Ternary titanium compounds, 141
Thermal analysis, 205
Thermal decomposition, 205
Thin films, 165
Transient ionic current technique, 137
Tungstophosphoric acid, 105

Vanadium pentoxide, 189
Van der Pauw method, 263

X-ray structure, 279